



PT INDO MEGA VISION

G15D2S
DUAL SCREEN MONITOR
MANUAL BOOK

KATA PENGANTAR

Terima kasih telah menggunakan produk kami, demi kenyamanan anda dalam mengoperasikan silahkan membaca buku panduan sebelum menggunakan mesin ini untuk menghindari kerusakan mesin akibat kesalahan dalam pengoperasian.

Dengan adanya produk kami, sangatlah membantu produktifitas anda. Penggunaan yang praktis, pengoperasian yang relatif mudah dan fleksibel maka mesin ini sangat cocok bagi perusahaan anda.

Adanya manual book ini dibuat untuk semua customer yang menggunakan Dual Screen ini. Selain menyediakan manual book, Technical Support kami juga akan memberi tahu jika anda membutuhkan atau merasa kesulitan dalam pengoperasiannya.



ISI KEMASAN

DUAL SCREEN MONITOR

Gear Beberapa tambahan perlengkapan yang ada dalam kemasan, terdiri dari :

- ✓ Monitor Dual Screen
- ✓ Kabel Power
- ✓ Kabel VGA to VGA
- ✓ Kabel HDMI to VGA
- ✓ Kabel USB to USB
- ✓ Pulpen Touch
- ✓ Kartu Garansi
- ✓ Manual Book
- ✓ Serial Number

Isi dalam kemasan dapat bervariasi sesuai dengan jenis barang yang di pesan.



DAFTAR ISI

	Page
COVER	
KATA PENGANTAR	01
ISI KEMASAN	02
DAFTAR ISI	03
Copyright	04
Dukungan Teknis	04
PENDAHULUAN	05
1. Panduan Instalasi Monitor Dual Screen Gear	06
2. Spesifikasi Monitor Dual Screen	07
3. Tombol Front Panel Monitor Dual Screen Gear	08
4. Calibration Monitor Dual Screen to PC	09
5. Troubleshooting	11
6. Tips Merawat Monitor Dual Screen	11



COPYRIGHT

Bahan yang ada pada dokumen ini, adalah properti intelektual dari PT. INDO MEGA VISION.

Kami menyiapkan dokumen ini sebaik-baiknya namun mungkin saja terdapat kesalahan. Produk GEAR Computer akan selalu ditingkatkan secara kesinambungan dan kami berhak untuk mengubah tanpa pemberitahuan.

DUKUNGAN TEKNIS

Jika terdapat probem pada sistem anda, dan tidak ada solusi dari buku manual book, silahkan menghubungi penjual. Atau hubungi layanan dukungan dari kami melalui email : support@imv.co.id



PENDAHULUAN


Terima kasih telah menggunakan produk kami, demi kenyamanan anda dalam mengoperasikan silahkan membaca buku panduan sebelum menggunakan mesin ini untuk menghindari kerusakan mesin akibat kesalahan dalam pengoperasian.

Dengan adanya produk kami, sangat lah membantu pekerjaan anda dalam produktifitas perusahaan anda. Penggunaan yang praktis, pengoperasian yang relatif mudah dan fleksibel maka mesin ini sangat cocok bagi perusahaan anda.

Adanya manual book ini dibuat untuk semua customer yang menggunakan Monitor Dual Screen ini. Selain menyediakan manual book, Technical Support kami juga akan membantu jika anda membutuhkan atau merasa kesulitan dalam pengoperasiannya.



1.PANDUAN INSTALASI DUAL SCREEN MONITOR



Gambar 3. Back Panel PC

NOTE

(Cara pemasangan Monitor Dual Screen)Pasang kabel dikedua Monitor Dual Screen

No	Item	Fungsi
1	Kabel VGA to VGA (PC)	Kabel VGA to VGA berfungsi untuk menampilkan display dari PC ke dual screen
2	Kabel VGA to HDMI (PC)	Kabel VGA to HDMI berfungsi untuk menampilkan Display dari PC ke dual screen
3	Kabel USB Monitor to USB(PC)	Kabel USB to USB berguna untuk mengaktifkan Respon TouchScreen PC
4	Tancapkan kabel power pada outlet listrik	Kabel power berfungsi untuk menghidupkan Monitor Dual Screen



2.SPESIFIKASI DUAL SCREEN MONITOR

 <p>LCD Screen</p>	<p>Screen Size : 15 Inch Resolution : 1024*768 Brightness : 400cd/m2 Aspect Ration : 4:3 Contrast Ratio : 700:1 Response Time : 5/11 (Typ.)(Tr/Td) Pixel Pitch : 0.297x 0.297 (HxV) Display Color : 16.7M Refresh Rate : 60Hz View Angel : 75/75/60/65 Display Area : 304.128(H) x 228.096(V) H x W x D : 350*335*45mm Menu Language : 15</p>
 <p>TouchScreen</p>	<p>Touch : Ten point capacitive touch Outward : Transparent glass Responding Speed : < 5ms Touch Accuracy : < 2.5mm General System : Win10, Win7, Win8,linux</p>
	<p>Interface : VGA + DVI + USB touch + AC Power : AC100V-240V Temperature : 0~50°C Humidity : 20% ~ 85% Power Consumption : Max 36W Installation : Desktop or wall mount</p>



3. TOMBOL FRONT PANEL DUAL SCREEN MONITOR



NOTE : Fungsi Tombol Panel Monitor Dual Screen

No	Icon	Item	Fungsi
1		Button Power ON/OFF	Tombol Power berfungsi untuk menghidupkan dan menonaktifkan Monitor Dual Screen
2		OSD Menu	Tombol OSD Menu untuk memasuki menu setting dari Dual Screen
3		Icon Right & Icon Left	Tombol Kanan dan Kiri, untuk memilih dan mengatur settingan Dual Screen
4		Icon Up & Icon Down	Tombol Atas dan Bawah, untuk Memilih menu settingan yang ada di OSD Menu
5		Automatic Adjustment	Tombol Automatic Adjustment, untuk mengatur ukuran dan resolusi Monitor Dual Screen secara otomatis



4. CALIBRATION DUAL SCREEN MONITOR TO PC

1. Masuk ke menu [**Control Panel**].



2. Klik [**Hardware and Sound**]



Hardware and Sound

[View devices and printers](#)

[Add a device](#)

3. Lalu Klik [**Tablet PC Settings**]




Tablet PC Setting

[Calibrate the screen for pen or touch input](#) | [Set tablet buttons to perform certain tasks](#)

[Choose the order of how your screen rotates](#) | [Specify which hand you write with](#)

4. Lalu Pilih [**Setup**]



5. Lalu **Tap** layar monitor dual screen, Lalu tekan **Enter**



NOTE

- Lakukan di kedua layar dual screen monitor



5.TROUBLESHOOTING

Problem : USB tidak bekerja

- Check kabel USB, pastikan kabel usb terpasang dengan benar.
- jika belum bisa, Cabut kabel USB dan pasang Kembali.

Problem : USB tidak bekerja

- Check kabel VGA atau HDMI, pastikan kabel terpasang dengan benar.
- jika belum bisa, Cabut kabel dan pasang Kembali.

6.TIPS MERAWAT DUAL SCREEN MONITOR

Silahkan baca instruksi-Instruksi dibagian ini. Dibawah ini adalah instruksi-instruksi yang akan membantu memaksimalkan fungsi dan kemampuan dari Monitor Dual Screen.

TIPS PENTING

- Jangan menempatkan komputer pada posisi yang terkena sinar matahari secara langsung, atau sumber panas secara langsung seperti radiator, pemanas air, dll
- Jangan menempatkan benda-benda bermagnet didekat monitor dual screen
- Jangan menumpahkan air atau cairan pada Monitor Dual Screen
- Jangan menempatkan monitor ditempat yang tidak rata.
- Rapikan sambungan listrik dual monitor, sehingga tidak terinjak kaki.
- Pada waktu mencabut dari colokan listrik, jangan menarik dari kabelnya, melainkan dari plugnya.



FOREWORD

Accept love has use our products , for the sake of convenience you in operate please read book guide before use this machine to avoid damage machine consequence error in operation .

With our product, it really helps your productivity. Practical use, relatively easy and flexible operation, this machine is perfect for your company.

This manual book is made for all customers who use this Dual Screen. Besides provide a manual book, our Technical Support will also give know if you need or feel difficulty in its operation .



PACKAGING CONTENTS

DUAL SCREEN GEAR

A number of addition existing equipment in packaging ,
consisting from :

- ✓ Dual Screen Monitors
- ✓ Power cable
- ✓ VGA to VGA cable
- ✓ HDMI to VGA cable
- ✓ USB to USB cable
- ✓ Touch Pen
- ✓ Card Warranty
- ✓ Manual Book
- ✓ Serial Number

Isi dalam kemasan dapat bervariasi sesuai dengan jenis barang yang di pesan.



TABLE OF CONTENTS

	Page
COVER	
FOREWORD	01
PACKAGING CONTENTS	02
TABLE OF CONTENTS	03
Copyright	04
Technical Support	04
PRELIMINARY	05
1. Dual Screen Gear Monitor Installation Guide	06
2. Dual Screen Monitor Specifications	07
3. Dual Screen Gear Monitor Front Panel Button	08
4. Calibration Monitor Dual Screen to PC	09
5. Troubleshooting	11
6. Tips for Caring for Dual Screen Monitors	11



COPYRIGHT

The materials contained in this document are property intellectual from PT. INDO MEGA VISION.

We prepare this document at its best however possible just got error . GEAR Computer products will always improved in a manner continuity and we reserve the right to change without notification .

TECHNICAL SUPPORT

If any probem on the system you , and nothing solution from manual book , please contact seller . Or call service Support from us through email : support@imv.co.id



PRELIMINARY

Accept love has use our products , for the sake of convenience you in operate please read book guide before use this machine to avoid damage machine consequence error in operation.


With it our product , really help profession you in productivity company you . Practical use , relative operation easy and flexible so this machine is perfect for company you.

This manual book is made for all customers who use this Dual Screen Monitor. Besides provide a manual book, our Technical Support will also help if you need or feel difficulty in its operation



1. DUAL SCREEN MONITOR INSTALLATION GUIDE

Images 2. Back Panel Monitor Dual Screen(2)



Images 1. Back Panel Monitor Dual Screen(1)

Images 3. Back Panel PC

NOTE

(How to install a Dual Screen Monitor) Attach the cables to both Dual Screen Monitors

No	Item	Function
1	VGA Monitor to VGA (PC) cable	The VGA to VGA cable functions to display the display from a PC to a dual screen
2	VGA Monitor to HDMI (PC) cable	VGA to HDMI cable functions to display the Display from PC to dual screen
3	USB Monitor to USB(PC) cable	The USB to USB cable is useful for activating the PC's TouchScreen Response
4	Plug the power cable into the electrical outlet	The power cable works to turn on the Dual Screen Monitor



2.DUAL SCREEN MONITOR SPECIFICATIONS

 <p>LCD Screen</p>	<p>Screen Size : 15 Inch Resolution : 1024*768 Brightness : 400cd/m2 Aspect Ration : 4:3 Contrast Ratio : 700:1 Response Time : 5/11 (Typ.)(Tr/Td) Pixel Pitch : 0.297x 0.297 (HxV) Display Color : 16.7M Refresh Rate : 60Hz View Angel : 75/75/60/65 Display Area : 304.128(H) x 228.096(V) H x W x D : 350*335*45mm Menu Language : 15</p>
 <p>TouchScreen</p>	<p>Touch : Ten point capacitive touch Outward : Transparent glass Responding Speed : < 5ms Touch Accuracy : < 2.5mm General System : Win10, Win7, Win8,linux</p>
	<p>Interface : VGA + DVI + USB touch + AC Power : AC100V-240V Temperature : 0~50°C Humidity : 20% ~ 85% Power Consumption : Max 36W Installation : Desktop or wall mount</p>



3. DUAL SCREEN MONITOR FRONT PANEL BUTTON



NOTE: Functions of Dual Screen Monitor Panel Buttons

No	Icon	Item	Function
1		Button Power ON/OFF	The Power button functions to turn on and off the Dual Screen Monitor
2		OSD Menu	OSD Menu button to enter the setting menu of Dual Screen
3		Icon Right & Icon Left	Right and Left buttons, to select and set Dual Screen settings
4		Icon Up & Icon Down	Up and Down Button, to Select the setting menu in the OSD Menu
5		Automatic Adjustment	Automatic Adjustment button, to adjust the size and resolution of the Dual Screen Monitor automatically



4. CALIBRATION DUAL SCREEN MONITOR TO PC

1. Enter the **[Control Panel]** menu .



2. Click **[Hardware and Sound]**



Hardware and Sound

[View devices and printers](#)

[Add a device](#)

3. Then Click **[Tablet PC Settings]**




Tablet PC Setting

[Calibrate the screen for pen or touch input](#) | [Set tablet buttons to perform certain tasks](#)

[Choose the order of how your screen rotates](#) | [Specify which hand you write with](#)

4. Then Select **[Setup]**



5. Then **Tap** dual screen monitor



NOTE

- Do it in both dual screen monitors

Tap this screen with a single finger to identify it as the touchscreen.

If this is not the Tablet PC screen, press Enter to move to the next screen. To close the tool, press Esc.



5. TROUBLESHOOTING

Problem: USB is not working

- Check the USB cable , make sure cable usb properly installed.
- if you ca n't , Unplug USB cable and plug it back in.

Problem: Monitor does not appear

- Check the VGA or HDMI cable, make sure cable properly installed.
- if you ca n't , Unplug cable and plug it back in.

6. TIPS FOR CARING FOR DUAL SCREEN MONITORS

Please read instructions this section . Below is _ instructions to be help maximizing functions and capabilities of Dual Screen Monitors.

IMPORTANT TIPS

- Do not put computer in the affected position ray sun in a manner direct , or sources hot in a manner such as radiators, water heaters , etc
- Do not put things magnetized near the dual screen monitor
- Do not spill water or liquid on the Dual Screen Monitor
- Do not place the monitor on an uneven surface.
- Make up connection Dual monitor electricity , so don't get stepped on.
- Make up connection Dual monitor electricity , so don't get stepped on .

